

TOOLS CREATE MORE

PIGEON POWERTOOLS



 **PIGEON**[®]
鸽牌, 传递更多

正阳科技股份有限公司
ZHENGYANG TECHNOLOGY CO., LTD
浙江省永康市经济开发区长城东大道558号
558 Great Wall East Economic Development Zone,
Yongkang City, Zhejiang, China



鸽牌微信公众号



鸽牌天猫旗舰店

Hotline **400 181 6599**



2023

INTRODUCTION

正阳

正阳科技股份有限公司是一家集研发、生产、销售为一体的电动工具国家高新技术企业。面积9万平方米，现有员工1000多名，具有年产电动工具600多万台的生产能力，产品包括手持电动工具、台式电动工具和锂电工具产品等系列100多个品种。

企业非常注重自主创新和品质管理工作。配置有完整的研发和检测设备，实验室是国家CNAS认可实验室，同时也是国际认证机构Intertek、德国莱茵TUV、南德意志集团TUV等合作实验室。企业建立有浙江省省级企业研究院、浙江省企业技术中心、浙江省研发中心，主导或参与国家、行业和浙江制造标准39项，多个产品荣获省市科学技术奖。截止目前公司已经获取授权专利150多项，其中发明专利22项，企业被评为国家知识产权优势企业和浙江省专利示范企业。所有产品通过了CE、GS、UL、L.CIE、CSA、CCC等相关认证，深受全球用户的信赖和欢迎。

在追求经济效益的同时，正阳也承担着应有的企业责任，追求社会—企业—员工共赢和谐。企业荣获了“国家高新技术企业”“国家专精特新小巨人企业”“国家标准化工作先进单位”“浙江省AAA守合同重信用企业”“金华市政府质量奖”“浙江省创新示范中小企业”“浙江省文明单位”等称号。从1994年起，连续荣获“永康市纳税大户”荣誉称号。



TOOLS CREATE MORE

PIGEON POWERTOOLS



通过微信扫码可以观看产品视频

- GRINDERS
- DRILLS / DRIVERS
- HAMMER DRILLS
- MITER SAWS
- WOODWORKING
- METAL SAWS

 **PIGEON**[®]
鸽牌, 传递更多



MITER SAW

横竖切锯铝机



G7-255F

切出新高度

横/竖切,
满足您更多工况需求

锯片轻松换,不用拆护罩

切割能力


在90°时,除了最大切割容量70×140mm之外,首次增加竖切功能,100×16mm的容量能满足多数情况下的拼角使用。

便捷换锯片

- 更换锯片时将机头下压,护罩向上翻到最后放开双手,护罩将保持最高位不下翻,解放双手让换锯片更加轻松;
- 在换锯片时直接用扳手松螺钉和按住轴销即可,无需再拆除护罩和连杆螺钉(三款),用户体验带来极大的提升。

集尘率

- 出尘方式改变经实测不同木料的平均集尘率达89%,极大的改善了工作环境;
- 优化结构,利用靠板和导屑板的配合,使集尘效率提升明显。



通过微信扫码可以观看产品视频

了解产品演示,请观看视频

Get more details,
Please scan the QR code and watch the video.



产品参数 PARAMETER



切得准

采用精准45°精密切割,
适用更多工件。



集得多

优化出尘气流结构,
提高集尘率达89%以上。



用得久

全密封金属底座设计,
让产品使用寿命更长。



换得快

首创结构,无需拧拆螺丝
护罩即可高效换锯片。



靠得稳

提高靠板高度,
优化工件操作时的稳定性。

额定电压 Rated Voltage	220V	最大切割厚度 Max Cutting Thickness	70×140(90°) / 70×99mm(45°)
额定频率 Rated Frequency	50Hz	最大斜切度(左) Max Degree Miter Cuts - Left	100×16(90°) / 100×16mm(左45°)
额定输入功率 Rated Input Power	1200W	整机外形尺寸 Size	420×470×328mm
空载转速 No Load Speed	6000RPM	重量 Weight	7.8Kg
锯片最大直径 Max Blade Diameter	255mm		

A 大按键开关 Big Button Switch	F 靠板 High Sliding Fences
B 护罩 Shield	G 刻度盘 Dial
C 电机 Electric Machinery	H 全密封底座 Canned Base
D 机头限位销 Head Stop Pin	I 双螺丝固定孔 Double Screw Fixing Hole
E 集尘袋 Dust Bag	

平行靠山 精密掌控

Parallel sliding fences
Precise control

TABLE SAW

精密台锯



GT-255

用得广·切得快·挣得多



通过微信扫码可以观看产品视频

了解产品演示, 请观看视频

Get more details
Please use the QR code to view the video.

SCF靠山设计

靠山前后使用定位螺钉固定, 精确度有保障, 能保证靠板和锯片近乎零误差的平行度, 前后使用快速旋锁固定结构, 拆装便利, 使用更加安全、可靠。采用该结构, 能在任何情况下保证靠板和锯片的平行度。随着机器使用时间和环境变化, 能根据变化调整保证其应有的高精度。

产品参数 PARAMETER


2100W
额定功率

快速开槽
精准拼装

SCF靠山
精密切割

输出功率 Output power	2100W(2700W S6)
锯片直径 Blade Diameter	φ254mm φ25.4mm
最大切割厚度 Max Cutting Thickness	85mm(90°) 58mm(45°)
最大开槽厚度 Max Slotting Thickness	1/2"(12mm) φ 8"(205mm)
重量 weight	20kg

- A** SCF靠山
SCF Sliding Fences
- B** 便捷护罩&止退板
Convenient shield & retaining plate
- C** 多角度靠山
Multi-angle Sliding Fences
- D** 延伸支撑台
Extended Support Table
- E** 扶手位
Armrest position
- F** 缠线工具处
Kinking position
- G** 开关盖
Switch cover
- H** 升降手轮&角度定位手柄
Lifting handwheel & angle positioning handle
- I** 靠山移动旋钮&固定手柄
Sliding Fences Moving Knob&Fixed Handle



METAL
SAW

一刀切金属锯



G4-235

85mm轻松切

提升切割能力达85mm

爆改一刀切的切割能力, 让你更得心应手。



净化板

彩钢瓦

金属板

石材

木材

一刀切



升级
切割深度



通过微信扫描可以观看产品视频

了解产品演示, 请观看视频

Get more details.
Please scan the QR code and watch the video.

85mm

产品参数
PARAMETER



切得多

结构强化再设计,
有效扩大工具切割范围。



切得深

提升锯片应用直径,
让工具切得更加有深度。



切得快

稳定平台模块兼容性强,
让电机发挥最大效能。

电压 Voltage	220V~	锯片直径 Blade Diameter	230mm
频率 Frequency	50Hz	切割深度 Cutting depth	85mm
额定功率 Rated power	1800W		
空载转速 No load speed	3500r/min		

- A 人机手柄
Ergonomic Handle
- B 开关
switch
- C 可拆外壳
Removable housing
- D 观察窗
Observation window
- E 辅助手柄
Auxiliary Handle
- F 角度调节钮
Angle adjusting knob
- G 保护罩
Protective grid



DEMOLITION
HAMMER

轻·电镐



G221

轻巧·舒适·更高效

防烫前筒设计
抓握有力,工作便利

消能减震提高舒适性
新型减震结构,
帮你卸掉手中更多负担



通过微信扫描可以观看产品视频

了解产品演示, 请观看视频

Get more details,
Please scan the QR code and watch the video.

产品参数
PARAMETER



够轻

结构轻量化机身设计,
比上代机型降低1000g.



够爽

新型前筒防烫设计,
人机手柄减震设计.



够劲

轻松操控真省劲,
快速高效真给力.

额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
冲击频率 Impact Frequency	3950/min
额定功率 Rated Power	1150W
冲击能力 Impact Capacity	22J

- A 防烫前筒
Scald proof front cylinder
- B 人机手柄
Ergonomic Handle
- C 减震结构
Shock absorbing structure
- D 出风口
Air outlet
- E 大开关按钮
Big Button Switch



ROTARY
HAMMER

A级电锤



G207A

经济耐用

强劲升级工装特选

结构设计优化,提升工具更高效能

上万次安全脱扣

搭配升级离合结构,确保钻头卡死时,自动安全脱扣不拧手、不烧机、不崩齿



通过微信扫描可以观看产品视频

了解产品演示,请观看视频

Get more details,
Please scan the QR code and watch the video.



产品参数 PARAMETER



舒适

弹簧减震手柄不碍手,
大扳机四指开关更省力。



强劲

搭载强劲航空电机,
让工具性能提升更高效。



耐用

机构和模块千锤百炼,
成熟平台出品更稳定。

额定电压 Rated Voltage	220V	冲击频率 Impact Frequency	4500bpm
额定频率 Rated Frequency	50Hz	额定功率 Rated Power	1010W
缸径 Cylinder Diameter	25mm		
空载转速 No Load Speed	960/min		



- A 创新夹头
Innovative Chuck
- B 多功能调节旋钮
Multi Function Adjustment Knob
- C 油盖
Tank Cap
- D 减震结构设计
Shock Absorption Structure Design
- E 四指大开关
Four Finger Big Switch
- F 软包胶手柄
Soft Plastic Handle
- G 可调节辅助手柄
Adjustable Auxiliary Handle



MIXING
DRILL

工业飞机钻

G6-16A


搅/钻两用

搅拌钻孔双面手

多用途设计，
让你在工况中更得心
应手。

三鸥钻夹头

三鸥牌金刚三爪夹头，
防止晃动或脱落。



了解产品演示, 请观看视频

Get more details,
Please scan the QR code and watch the video.



通过微信扫描可以观看产品视频

产品参数 PARAMETER



多功能

一机多用，
满足您更多工况需求。



散热好

全方位出风口设计，
铸铝机身散热强。



好夹头

三鸥牌夹头，
夹得牢不晃不脱落。

电压 Voltage	220V~
频率 Frequency	50Hz
额定功率 Rated power	1400W
空载转速 No load speed	1050r/min
钻孔直径 Drill Capacity	16mm



- A 精钢夹头
Stainless Steel Chuck
- B 铸铝外壳
Full Aluminum Jacket
- C 辅助手柄
Auxiliary Handle
- D 加厚铝体机身
Thicken Aluminum Body
- E 后手柄
Rear Handle
- F 外置碳刷
Modern Carbon Brush
- G 自锁按钮
Self locking button

ANGLE GRINDER
角磨



G9-100F

磨片直径 Diameter	100mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	720W
空载转速 No Load Speed	11000r/min

ANGLE GRINDER
角磨



G991

磨片直径 Diameter	100mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	800W
空载转速 No Load Speed	9500r/min

ANGLE GRINDER
角磨



G9-100A

磨片直径 Diameter	100mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	900W
空载转速 No Load Speed	11000r/min

ANGLE GRINDER
角磨



G9-100F-2

磨片直径 Diameter	100mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	720W
空载转速 No Load Speed	11000r/min

DIE GRINDER
电磨



G8-25A

夹头直径 Diameter	6mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	450W
空载转速 No Load Speed	27000r/min

DIE GRINDER
电磨



G8-6B

夹头直径 Diameter	6mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	300W
空载转速 No Load Speed	15000~26000r/min

ELECTRIC DRILL
电钻



G6-10A

钻孔直径 Diameter	10mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	400W
空载转速 No Load Speed	0-2500r/min

ELECTRIC DRILL
电钻



G6-10A-2

钻孔直径 Diameter	10mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	400W
空载转速 No Load Speed	0-2500r/min

ELECTRIC DRILL
电钻



G601

钻孔直径 Diameter	10mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	460W
空载转速 No Load Speed	0-2700r/min

ELECTRIC DRILL
电钻



G602

钻孔直径 Diameter	10mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	750W
空载转速 No Load Speed	0-2500r/min

ELECTRIC DRILL
电钻



G6-10B

钻孔直径 Diameter	10mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	710W
空载转速 No Load Speed	0-2500r/min

ELECTRIC DRILL
电钻



G6-10B-2

钻孔直径 Diameter	10mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	710W
空载转速 No Load Speed	0-2500r/min

ELECTRIC DRILL
电钻



G6-13

钻孔直径 Diameter	13mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	710W
空载转速 No Load Speed	0-2500r/min

MITRE SAW
锯铝机



G7-210B

锯片直径 Diameter	210mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	1200W
空载转速 No Load Speed	6000r/min

ROTARY HAMMER
电锤



G207A

钻孔直径 Drill Capacity	25mm
额定电压 Rated Voltage	220V
冲击频率 Impact Frequency	4500bpm
额定功率 Rated Power	1010W
空载转速 No Load Speed	960r/min

ROTARY HAMMER
电锤



G2-26A

钻孔直径 Drill Capacity	26mm
额定电压 Rated Voltage	220V
冲击频率 Impact Frequency	0-4000/min
额定功率 Rated Power	800W
空载转速 No Load Speed	0-900r/min

ELECTRIC DRILL
电钻



G631

钻孔直径 Diameter	13mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	750W
空载转速 No Load Speed	0-2500r/min

MITRE SAW
锯铝机



G7-255C

锯片直径 Diameter	255mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	1750W
空载转速 No Load Speed	4500r/min

ROTARY HAMMER
电锤



G216

钻孔直径 Drill Capacity	28mm
额定电压 Rated Voltage	220V
冲击频率 Impact Frequency	0-4500/min
额定功率 Rated Power	850W
空载转速 No Load Speed	1200r/min

ROTARY HAMMER
电锤



G2-30/30A 双功能

钻孔直径 Drill Capacity	30mm
额定电压 Rated Voltage	220V
冲击频率 Impact Frequency	4500bpm
额定功率 Rated Power	1010W
空载转速 No Load Speed	850r/min

MIXING DRILL
搅拌钻



G6-16A

钻孔直径 Diameter	16mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	1400W
空载转速 No Load Speed	1050r/min

MITRE SAW
锯铝机



G7-255F

锯片直径 Diameter	255mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	1200W
空载转速 No Load Speed	6000r/min

ROTARY HAMMER
电锤



G206B

钻孔直径 Drill Capacity	30mm
额定电压 Rated Voltage	220V
冲击频率 Impact Frequency	4500/min
额定功率 Rated Power	1010W
空载转速 No Load Speed	850r/min

DEMOLITION HAMMER
电镐



G221

钻孔直径 Drill Capacity	26mm
额定电压 Rated Voltage	220V
冲击频率 Impact Frequency	0-4000/min
额定功率 Rated Power	800W
空载转速 No Load Speed	0-900r/min

MARBLE CUTTER
云石机



G4-110A

锯片直径 Diameter	110mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	1600W
空载转速 No Load Speed	12500r/min

MARBLE CUTTER
云石机



G4-110C

锯片直径 Diameter	110mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	1400W
空载转速 No Load Speed	13000r/min

METAL SAW
金属锯



G4-185

锯片直径 Diameter	185mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	1800W
空载转速 No Load Speed	3500r/min

METAL SAW
金属锯



G4-185A

锯片直径 Diameter	185mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	1800W
空载转速 No Load Speed	3500r/min

METAL SAW
金属锯



G4-235

锯片直径 Diameter	230mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	1800W
空载转速 No Load Speed	3500r/min

CUT-OFF MACHINE
型材切割机



G401

锯片直径 Diameter	355mm
额定电压 Rated Voltage	220V
额定频率 Rated Frequency	50Hz
额定功率 Rated Power	2400W
空载转速 No Load Speed	3900r/min

CIRCULAR SAW
电圆锯



G5-110

锯片直径 Drill Capacity	110mm
额定电压 Rated Voltage	220V
额定频率 Impact Frequency	50Hz
额定功率 Rated Power	910W
空载转速 No Load Speed	5000r/min

CIRCULAR SAW
电圆锯



G501

锯片直径 Drill Capacity	185mm
额定电压 Rated Voltage	220V
额定频率 Impact Frequency	50Hz
额定功率 Rated Power	1500W
空载转速 No Load Speed	5500r/min

CIRCULAR SAW
电圆锯



G511

锯片直径 Drill Capacity	235mm
额定电压 Rated Voltage	220V
额定频率 Impact Frequency	50Hz
额定功率 Rated Power	1850W
空载转速 No Load Speed	5000r/min

CIRCULAR SAW
电圆锯



G5-235B

锯片直径 Drill Capacity	235mm
额定电压 Rated Voltage	220V
额定频率 Impact Frequency	50Hz
额定功率 Rated Power	1850W
空载转速 No Load Speed	5000r/min

JIG SAW
曲线锯



G5-60

切割能力 Drill Capacity	10/65mm
额定电压 Rated Voltage	220V
额定频率 Impact Frequency	50Hz
额定功率 Rated Power	500W
空载转速 No Load Speed	500-3000r/min

TRIMMER
修边机



G3-6

刀头直径 Drill Capacity	6.35mm
额定电压 Rated Voltage	220V
额定频率 Impact Frequency	50Hz
额定功率 Rated Power	450W
空载转速 No Load Speed	30000r/min